

Author Index Volume 32

- Anastassiades, T., see Chopra, R.K. (32) 47
Audine, M., see Rashedi, M. (32) 167
- Babić, M.S.
Relationship between notochord and the bursa pharyngea in early human development (32) 125
- Baker, J.R., see Mark, M.P. (32) 1
- Bartholomeusz, R.K., Campbell, I.L. and Harrison, L.C.
A2B5-reactive ganglioside expression determines the differentiation stage and capacity of rat insulinoma (RIN) sublines (32) 39
- Born, J., see Plessow, S. (32) 27
- Boudannaoui, S., see Pituello, F. (32) 71
- Campbell, I.L., see Bartholomeusz, R.K. (32) 39
- Castet, M.-C., see Rashedi, M. (32) 167
- Chaloin-Dufau, C., Sun, T.-T. and Dhouailly, D.
Appearance of the keratin pair K3/K12 during embryonic and adult corneal epithelial differentiation in the chick and in the rabbit (32) 97
- Chopra, R.K., Li, Z.-M., Vickery, S. and Anastassiades, T.
Newly synthesized proteoglycans secreted by sequentially derived populations of cells from new-born rat calvaria: Effects of transforming growth factor- β and matrigenin activity (32) 47
- Chowdhury, A., see Singh, R.K. (32) 131
- Davids, M., see Plessow, S. (32) 27
- Dhouailly, D., see Chaloin-Dufau, C. (32) 97
- Duprat, A.M., see Pituello, F. (32) 71
- Elgendy, H. and Hausman, R.E.
Prostaglandin-dependent phosphatidylinositol signaling during embryonic chick myogenesis (32) 109
- Foulquier, F., see Pituello, F. (32) 71
- Grunz, H. and Tacke, L.
Extracellular matrix components prevent neural differentiation of disaggregated *Xenopus* ectoderm cells (32) 117
- Hall, B.K., see Seufert, D.W. (32) 153
- Harrison, L.C., see Bartholomeusz, R.K. (32) 39
- Hashimoto, Y., see Tamura, K. (32) 17
- Hausman, R.E., see Elgendy, H. (32) 109
- Hilfer, S.R., see Smith, C.I. (32) 83
- Hirabayashi, T., see Nakamura, M. (32) 61
- Hoppe, P., see Plessow, S. (32) 27
- Ide, H., see Tamura, K. (32) 17
- Kagechika, H., see Tamura, K. (32) 17
- Karcher-Djuricic, V., see Mark, M.P. (32) 1
- Li, Z.-M., see Chopra, R.K. (32) 47
- Linder, E. and Thors, C.
Expression of low molecular mass cytokeratins in oocytes of *Schistosoma mansoni* (32) 141
- Loppnow-Blinde, B., see Plessow, S. (32) 27
- Maraud, R., see Rashedi, M. (32) 167
- Mark, M.P., Karcher-Djuricic, V., Baker, J.R. and Ruch, J.-V.
Effects of β -D-xyloside on morphogenesis and cytodifferentiation in cultured embryonic mouse molars (32) 1
- Nakamura, M., Yao, Y. and Hirabayashi, T.
Coordinate and discoordinate accumulation of protein constituents in chicken breast muscle (32) 61
- Nathanson, M.A., see Smith, C.I. (32) 83
- Ohsugi, K., see Tamura, K. (32) 17
- Piet, M., see Rashedi, M. (32) 167
- Pituello, F., Boudannaoui, S., Foulquier, F. and Duprat, A.M.
Are neuronal precursor cells committed to coexpress different neuroactive substances in early amphibian neurulae? (32) 71
- Plessow, S., Davids, M., Born, J., Hoppe, P., Loppnow-Blinde, B., Tiedemann, H. and Tiedemann, H.
Isolation of a vegetalizing inducing factor after extraction with acid ethanol. Concentration-dependent inducing capacity of the factor (32) 27
- Rashedi, M., Maraud, R., Piet, M., Castet, M.-C. and Audine, M.
Influence of heterospecific testis graft on the gonadal sex differentiation of female bird embryos (32) 167
- Ruch, J.-V., see Mark, M.P. (32) 1
- Sani, B.P., see Singh, R.K. (32) 131
- Searls, R.L., see Smith, C.I. (32) 83
- Seufert, D.W. and Hall, B.K.
Tissue interactions involving cranial neural crest in cartilage formation in *Xenopus laevis* (Daudin) (32) 153
- Shudo, K., see Tamura, K. (32) 17
- Singh, R.K., Chowdhury, A. and Sani, B.P.
Detection of cellular retinoic acid-binding protein in chick embryonic tissues by monoclonal antibodies (32) 131

Author Index Volume 32

- Anastassiades, T., see Chopra, R.K. (32) 47
Audine, M., see Rashedi, M. (32) 167
- Babić, M.S.
Relationship between notochord and the bursa pharyngea in early human development (32) 125
- Baker, J.R., see Mark, M.P. (32) 1
- Bartholomeusz, R.K., Campbell, I.L. and Harrison, L.C.
A2B5-reactive ganglioside expression determines the differentiation stage and capacity of rat insulinoma (RIN) sublines (32) 39
- Born, J., see Plessow, S. (32) 27
- Boudannaoui, S., see Pituello, F. (32) 71
- Campbell, I.L., see Bartholomeusz, R.K. (32) 39
- Castet, M.-C., see Rashedi, M. (32) 167
- Chaloin-Dufau, C., Sun, T.-T. and Dhouailly, D.
Appearance of the keratin pair K3/K12 during embryonic and adult corneal epithelial differentiation in the chick and in the rabbit (32) 97
- Chopra, R.K., Li, Z.-M., Vickery, S. and Anastassiades, T.
Newly synthesized proteoglycans secreted by sequentially derived populations of cells from new-born rat calvaria: Effects of transforming growth factor- β and matrigenin activity (32) 47
- Chowdhury, A., see Singh, R.K. (32) 131
- Davids, M., see Plessow, S. (32) 27
- Dhouailly, D., see Chaloin-Dufau, C. (32) 97
- Duprat, A.M., see Pituello, F. (32) 71
- Elgendy, H. and Hausman, R.E.
Prostaglandin-dependent phosphatidylinositol signaling during embryonic chick myogenesis (32) 109
- Foulquier, F., see Pituello, F. (32) 71
- Grunz, H. and Tacke, L.
Extracellular matrix components prevent neural differentiation of disaggregated *Xenopus* ectoderm cells (32) 117
- Hall, B.K., see Seufert, D.W. (32) 153
- Harrison, L.C., see Bartholomeusz, R.K. (32) 39
- Hashimoto, Y., see Tamura, K. (32) 17
- Hausman, R.E., see Elgendy, H. (32) 109
- Hilfer, S.R., see Smith, C.I. (32) 83
- Hirabayashi, T., see Nakamura, M. (32) 61
- Hoppe, P., see Plessow, S. (32) 27
- Ide, H., see Tamura, K. (32) 17
- Kagechika, H., see Tamura, K. (32) 17
- Karcher-Djuricic, V., see Mark, M.P. (32) 1
- Li, Z.-M., see Chopra, R.K. (32) 47
- Linder, E. and Thors, C.
Expression of low molecular mass cytokeratins in oocytes of *Schistosoma mansoni* (32) 141
- Loppnow-Blinde, B., see Plessow, S. (32) 27
- Maraud, R., see Rashedi, M. (32) 167
- Mark, M.P., Karcher-Djuricic, V., Baker, J.R. and Ruch, J.-V.
Effects of β -D-xyloside on morphogenesis and cytodifferentiation in cultured embryonic mouse molars (32) 1
- Nakamura, M., Yao, Y. and Hirabayashi, T.
Coordinate and discoordinate accumulation of protein constituents in chicken breast muscle (32) 61
- Nathanson, M.A., see Smith, C.I. (32) 83
- Ohsugi, K., see Tamura, K. (32) 17
- Piet, M., see Rashedi, M. (32) 167
- Pituello, F., Boudannaoui, S., Foulquier, F. and Duprat, A.M.
Are neuronal precursor cells committed to coexpress different neuroactive substances in early amphibian neurulae? (32) 71
- Plessow, S., Davids, M., Born, J., Hoppe, P., Loppnow-Blinde, B., Tiedemann, H. and Tiedemann, H.
Isolation of a vegetalizing inducing factor after extraction with acid ethanol. Concentration-dependent inducing capacity of the factor (32) 27
- Rashedi, M., Maraud, R., Piet, M., Castet, M.-C. and Audine, M.
Influence of heterospecific testis graft on the gonadal sex differentiation of female bird embryos (32) 167
- Ruch, J.-V., see Mark, M.P. (32) 1
- Sani, B.P., see Singh, R.K. (32) 131
- Searls, R.L., see Smith, C.I. (32) 83
- Seufert, D.W. and Hall, B.K.
Tissue interactions involving cranial neural crest in cartilage formation in *Xenopus laevis* (Daudin) (32) 153
- Shudo, K., see Tamura, K. (32) 17
- Singh, R.K., Chowdhury, A. and Sani, B.P.
Detection of cellular retinoic acid-binding protein in chick embryonic tissues by monoclonal antibodies (32) 131

Smith, C.I., Webster, E.H., Nathanson, M.A., Searls, R.L. and Hilfer, S.R.

Altered patterns of proteoglycan deposition during maturation of the fetal mouse lung (32) 83

Sun, T.-T., see Chaloin-Dufau, C. (32) 97

Tacke, L., see Grunz, H. (32) 117

Tamura, K., Kagechika, H., Hashimoto, Y., Shudo, K., Ohsugi, K. and Ide, H.

Synthetic retinoids, retinobenzoic acids, Am80, Am580 and Ch55 regulate morphogenesis in chick limb bud (32) 17

Thors, C., see Linder, E. (32) 141

Tiedemann, H., see Plessow, S. (32) 27

Tiedemann, H., see Plessow, S. (32) 27

Vickery, S., see Chopra, R.K. (32) 47

Webster, E.H., see Smith, C.I. (32) 83

Yao, Y., see Nakamura, M. (32) 61

Subject Index Volume 32

A2B5-reactive ganglioside

Ganglioside expression, A2B5-reactive; Differentiation; Insulinoma subline; Rat (Bartholomeusz, R.K. (32) 39)

Accumulation

Contractile protein; Glycolytic enzyme; Coordination; Muscle development (Nakamura, M. (32) 61)

Ameloblast

Proteoglycan; Chondroitin sulfate; β -D-Xyloside; Tooth morphogenesis; Odontoblast (Mark, M.P. (32) 1)

Amphibian

Neurogenesis; Neurotransmitter; Neuropeptide; Neural induction (Pituello, F. (32) 71)

Anti-Müllerian hormone

Bird embryo; Testis; Differentiation; Sex reversal (Rashedi, M. (32) 167)

Basal lamina

Notochord; Endoderm; Cell contact; Human embryo; Bursa pharyngea (Babić, M.S. (32) 125)

Bird embryo

Testis; Differentiation; Anti-Müllerian hormone; Sex reversal (Rashedi, M. (32) 167)

Bursa pharyngea

Notochord; Endoderm; Cell contact; Human embryo; Basal lamina (Babić, M.S. (32) 125)

Calvaria

Proteoglycan; Transforming growth factor β ; Sequential cell population; Matrigenin; Synthesis; Rat (Chopra, R.K. (32) 47)

Cell adhesion

Myoblast fusion; Signal transduction; Receptor-mediated signaling (Elgendy, H. (32) 109)

Cell contact

Notochord; Endoderm; Human embryo; Bursa pharyngea; Basal lamina (Babić, M.S. (32) 125)

Cell interaction, lung

Chondroitin sulfate proteoglycan; Fetal lung maturation; β -Xyloside (Smith, C.I. (32) 83)

Chick

Keratin; Cornea; Epithelium; Development; Rabbit (Chaloin-Dufau, C. (32) 97)

Chicken

Synthetic retinoids; Retinobenzoic acid; Morphogenesis (Tamura, K. (32) 17)

Chondrogenesis

Cranial neural crest; Stomodeal endoderm; Tissue interaction; Chondrogenic potential; *Xenopus laevis* (Seufert, D.W. (32) 153)

Chondrogenic potential

Cranial neural crest; Stomodeal endoderm; Tissue interaction; Chondrogenesis; *Xenopus laevis* (Seufert, D.W. (32) 153)

Chondroitin sulfate

Proteoglycan; β -D-Xyloside; Tooth morphogenesis; Odontoblast; Ameloblast (Mark, M.P. (32) 1)

Chondroitin sulfate proteoglycan

Fetal lung maturation; β -Xyloside; Cell interaction, lung (Smith, C.I. (32) 83)

Contractile protein

Glycolytic enzyme; Accumulation; Coordination; Muscle development (Nakamura, M. (32) 61)

Coordination

Contractile protein; Glycolytic enzyme; Accumulation; Muscle development (Nakamura, M. (32) 61)

Cornea

Keratin; Epithelium; Development; Rabbit; Chick (Chaloin-Dufau, C. (32) 97)

Cranial neural crest

Stomodeal endoderm; Tissue interaction; Chondrogenic potential; Chondrogenesis; *Xenopus laevis* (Seufert, D.W. (32) 153)

Cytokeratins

Oocytes; *Schistosoma mansoni* (Linder, E. (32) 141)

Development

Keratin; Cornea; Epithelium; Rabbit; Chick (Chaloin-Dufau, C. (32) 97)

Differentiation

Ganglioside expression, A2B5-reactive; A2B5-reactive ganglioside; Insulinoma subline; Rat (Bartholomeusz, R.K. (32) 39)

Bird embryo; Testis; Anti-Müllerian hormone; Sex reversal (Rashedi, M. (32) 167)

Endoderm

Notochord; Cell contact; Human embryo; Bursa pharyngea; Basal lamina (Babić, M.S. (32) 125)

Epithelium

Keratin; Cornea; Development; Rabbit; Chick (Chaloin-Dufau, C. (32) 97)

Extracellular matrix

Glycocalyx; Inhibition of neural differentiation; *Xenopus laevis*; Neural induction (Grunz, H. (32) 117)

Fetal lung maturation

Chondroitin sulfate proteoglycan; β -Xyloside; Cell interaction; lung (Smith, C.I. (32) 83)

Ganglioside expression, A2B5-reactive

A2B5-reactive ganglioside; Differentiation; Insulinoma subline; Rat (Bartholomeusz, R.K. (32) 39)

Glycocalyx

Extracellular matrix; Inhibition of neural differentiation; *Xenopus laevis*; Neural induction (Grunz, H. (32) 117)

Glycolytic enzyme

Contractile protein; Accumulation; Coordination; Muscle development (Nakamura, M. (32) 61)

Human embryo

Notochord; Endoderm; Cell contact; Bursa pharyngea; Basal lamina (Babić, M.S. (32) 125)

Inducing capacity

Vegetalizing inducing factor; Purification from chicken embryo (Plessow, S. (32) 27)

Inhibition of neural differentiation

Extracellular matrix; Glycocalyx; *Xenopus laevis*; Neural induction (Grunz, H. (32) 117)

Insulinoma subline

Ganglioside expression, A2B5-reactive; A2B5-reactive ganglioside; Differentiation; Rat (Bartholomeusz, R.K. (32) 39)

Keratin

Cornea; Epithelium; Development; Rabbit; Chick (Chaloin-Dufau, C. (32) 97)

Matrigenin

Proteoglycan; Transforming growth factor β ; Calvaria; Sequential cell population; Synthesis; Rat (Chopra, R.K. (32) 47)

Morphogenesis

Synthetic retinoids; Retinobenzoic acid; Chicken (Tamura, K. (32) 17)

Muscle development

Contractile protein; Glycolytic enzyme; Accumulation; Coordination (Nakamura, M. (32) 61)

Myoblast fusion

Cell adhesion; Signal transduction; Receptor-mediated signaling (Elgendy, H. (32) 109)

Neural induction

Neurogenesis; Neurotransmitter; Neuropeptide; Amphibian (Pituello, F. (32) 71)

Extracellular matrix; Glycocalyx; Inhibition of neural differentiation; *Xenopus laevis* (Grunz, H. (32) 117)

Neurogenesis

Neurotransmitter; Neuropeptide; Neural induction; Amphibian (Pituello, F. (32) 71)

Neuropeptide

Neurogenesis; Neurotransmitter; Neural induction; Amphibian (Pituello, F. (32) 71)

Neurotransmitter

Neurogenesis; Neuropeptide; Neural induction; Amphibian (Pituello, F. (32) 71)

Notochord

Endoderm; Cell contact; Human embryo; Bursa pharyngea; Basal lamina (Babić, M.S. (32) 125)

Odontoblast

Proteoglycan; Chondroitin sulfate; β -D-Xyloside; Tooth morphogenesis; Ameloblast (Mark, M.P. (32) 1)

Oocytes

Cytokeratins; *Schistosoma mansoni* (Linder, E. (32) 141)

Proteoglycan

Chondroitin sulfate; β -D-Xyloside; Tooth morphogenesis; Odontoblast; Ameloblast (Mark, M.P. (32) 1)

Transforming growth factor β ; Calvaria; Sequential cell population; Matrigenin; Synthesis; Rat (Chopra, R.K. (32) 47)

Purification from chicken embryo

Vegetalizing inducing factor; Inducing capacity (Plessow, S. (32) 27)

Rabbit

Keratin; Cornea; Epithelium; Development; Chick (Chaloin-Dufau, C. (32) 97)

Rat

Ganglioside expression, A2B5-reactive; A2B5-reactive ganglioside; Differentiation; Insulinoma subline (Bartholomeusz, R.K. (32) 39)

Proteoglycan; Transforming growth factor β ; Calvaria; Sequential cell population; Matrigenin; Synthesis (Chopra, R.K. (32) 47)

Receptor-mediated signaling

Cell adhesion; Myoblast fusion; Signal transduction (Elgendy, H. (32) 109)

Retinobenzoic acid

Synthetic retinoids; Morphogenesis; Chicken (Tamura, K. (32) 17)

Schistosoma mansoni

Cytokeratins; Oocytes (Linder, E. (32) 141)

Sequential cell population

Proteoglycan; Transforming growth factor β ; Calvaria; Matrigenin; Synthesis; Rat (Chopra, R.K. (32) 47)

Sex reversal

Bird embryo; Testis; Differentiation; Anti-Müllerian hormone (Rashedi, M. (32) 167)

Signal transduction

Cell adhesion; Myoblast fusion; Receptor-mediated signaling (Elgendy, H. (32) 109)

Stomodeal endoderm

Cranial neural crest; Tissue interaction; Chondrogenic potential; Chondrogenesis; *Xenopus laevis* (Seufert, D.W. (32) 153)

Synthesis

Proteoglycan; Transforming growth factor β ; Calvaria; Sequential cell population; Matrigenin; Rat (Chopra, R.K. (32) 47)

Synthetic retinoids

Retinobenzoic acid; Morphogenesis; Chicken (Tamura, K. (32) 17)

Testis

Bird embryo; Differentiation; Anti-Müllerian hormone; Sex reversal (Rashedi, M. (32) 167)

Tissue interaction

Cranial neural crest; Stomodeal endoderm; Chondrogenic potential; Chondrogenesis; *Xenopus laevis* (Seufert, D.W. (32) 153)

Tooth morphogenesis

Proteoglycan; Chondroitin sulfate; β -D-Xyloside; Odontoblast; Ameloblast (Mark, M.P. (32) 1)

Transforming growth factor β

Proteoglycan; Calvaria; Sequential cell population; Matrigenin; Synthesis; Rat (Chopra, R.K. (32) 47)

Vegetalizing inducing factor

Purification from chicken embryo; Inducing capacity (Plessow, S. (32) 27)

Xenopus laevis

Extracellular matrix; Glycocalyx; Inhibition of neural differentiation; Neural induction (Grunz, H. (32) 117)

Cranial neural crest; Stomodeal endoderm; Tissue interaction; Chondrogenic potential; Chondrogenesis (Seufert, D.W. (32) 153)

 β -Xyloside

Chondroitin sulfate proteoglycan; Fetal lung maturation; Cell interaction, lung (Smith, C.I. (32) 83)

 β -D-Xyloside

Proteoglycan; Chondroitin sulfate; Tooth morphogenesis; Odontoblast; Ameloblast (Mark, M.P. (32) 1)

